



*DPW*

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on March 17, 2005.

*Cheryl Soderquist*  
Attorney for Applicant

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.	:	10/717,851	Confirmation No.: 1718
Applicant	:	Quin Soderquist	
Title	:	APPLIQUE FILM AIRBAG COVER	
Filed	:	November 19, 2003	
TC/A.U.	:	3611	
Examiner	:	(not yet assigned)	
Docket No.	:	14291	

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**TRANSMITTAL OF SUPPLEMENTAL INFORMATION**  
**DISCLOSURE STATEMENT**

Dear Sir:

Transmitted herewith is an Information Disclosure Statement disclosing information which has come to the attention of applicant and/or his attorneys and is being submitted so as to comply with the duty of disclosure set forth in 37 C.F.R. § 1.56. In accordance with 37 C.F.R. § 1.97(b), the enclosed Statement is being filed within three (3) months of the filing date of the above-identified application or before the mailing date of a first Action on the merits.

Neither applicant nor his attorneys make any representation that any information disclosed herein may be "prior art" within the meaning of that term under 35 U.S.C. § 102 or § 103. Moreover, pursuant to 37 C.F.R. § 1.97, the filing of this Information Disclosure Statement shall not be construed as a representation that a search has been made or as an admission that the

information cited herein is, or is considered to be, material to patentability as defined in 37 C.F.R. § 1.56(b).

In accordance with 37 C.F.R. § 1.98, transmitted herewith are:

1. A completed copy of Form PTO/SB/08a "Information Disclosure Statement by Applicant" listing the patents, publications and other information being submitted for consideration; and
2. A legible copy of each patent, publication and other item of information in written form listed on the enclosed Form PTO/SB/08a, except for copies of U.S. patents and published U.S. patent applications which are not required for applications filed after June 30, 2003.

As this application was filed after June 30, 2003, copies of the U.S. patents and published U.S. patent applications listed on the enclosed Form PTO/SB/08a are not required and, therefore, not included herewith.

#### NON-ENGLISH INFORMATION

Pursuant to 37 C.F.R. § 1.98, following is a concise explanation of the relevance (as it is presently understood by the individual designated in 37 C.F.R. § 1.56(c) most knowledgeable about the content of the information), of each listed patent, publication or other information that is not in the English language:

1. Japanese Patent Application No. 11240097 published September 7, 1999 discloses: **PROBLEM TO BE SOLVED:** To provide a resin product which can be manufactured at low costs, wherein heat distortion is reduced and designing characteristics are excellent. **SOLUTION:** A resin product comprises a body 2 composed of a synthetic resin and a different material part 3 using a partially different synthetic resin, wherein at least a part is surrounded by the body 2. The surface of the body and the different material part are adjacently arranged on the same plane, wherein a surface layer 4, which continuously covers them, is provided at least partial surfaces of the different material part and the body. The body is composed of a synthetic resin having a flexural modulus of 2000-4000 MPa, and a linear expansion coefficient of  $3-12 \times 10^{-4} / \text{deg.C}$ . The different material part is composed of a synthetic resin having a flexural

modulus of 100-700 MPa, and a linear expansion coefficient of  $1-10 \times 10^{-5} / \text{deg.C}$ . The surface layer is composed of a synthetic resin having a flexural modulus of 300-2000 MPa, and a linear expansion coefficient of  $3-12 \times 10^{-5} / \text{deg.C}$ .

2. Japanese Patent Application No. 1 032 9631 published December 15, 1998 discloses: **PROBLEM TO BE SOLVED:** To reduce the manufacturing cost without requiring any troublesomeness or high technique for the working of a fragile part, and increase the rigidity of the part corresponding to the bristle part, so that the cleaving performance in expansion of an air bag can be ensured while satisfactorily holding the appearance design. **SOLUTION:** This panel comprises a facing layer 4A and at least a foamed resin-made cushioning layer 4B superposed on the reverse side thereof. A facing material 4 having a fragile part 7 formed in a position corresponding to the expanding part of an air bag is adhesively integrated to a base material 6 formed by injection molding of a resin material so as to form fragile part 9 by thinning in a position corresponding to the expanding part of the air bag in the state where the fragile parts 7, 9 are mutually opposed.

3. European Patent Application No. 0 844 142 published May 27, 1998 discloses: The airbag cover (5) consists of a bearer (2) covered by a foam layer (3) and a covering foil (6). The foil tear line (1) is reinforced on both sides of the gap (7). This reinforcement may consist of a woven underlay. Other ways of reinforcing the cover are also possible, including the use of a cast resin layer, or sticking the foil directly to the bearer along the gap, or fitting a reinforcement to the underside of the bearer along the gap. The reinforcement may also reinforce the pivot.


4. Japanese Patent Application No. 09002180 published January 7, 1997 discloses: To provide an air bag cover to facilitate formation of a break scheduled part even in a decoration sheet of three-layer structure having a skin layer and arranged on a core surface. **Constitution:** A folded air bad is covered with an air bag cover and a break scheduled part broken to protrude the air bag during expansion is formed, and comprises a core; and a decorative sheet arranged on the surface side of the core. The decorative sheet comprises a skin layer on the surface side of the decorative sheet; a barrier layer arranged on the back side of the decorative sheet and for protection of the skin layer during injection-molding of the core; and a foamed layer located between the skin layer and the barrier layer. The break scheduled part comprises a recessed part formed on the back side of the core; and a fixing part fixed to the skin layer with the barrier layer forcibly spread.

5. German Patent Application No. 4306149 published September 1, 1994 discloses: A cover is described for the aperture of a chamber accommodating an air bag 3 in the region of the dashboard 1 of a motor vehicle. The cover 2 is composed of a frame part 8 and a lid 9. The frame part 8 is releasably connected to the dashboard 1, but their surfaces bear firmly against one another. The lid 9 is articulated to the frame part 8 by means of metal tapes 11 and is otherwise connected via predetermined breaking points 13 to the frame part 8. When the air bag 3 is activated, the lid 9 is pressed out of the frame part 8. The lid 9 is unable to damage the dashboard 1 during opening. Only the frame part 8 is impaired by the lid 9 as it opens. The frame part 8 may, however, be easily removed from the dashboard 1 and replaced by a new cover 2. This brings about a considerable reduction in repair costs after activation of an air bag.

CERTIFICATION UNDER 37 C.F.R. § 1.97(e)


I hereby certify that each item of information listed on the enclosed Information Disclosure Statement was cited in a communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of this Information Disclosure Statement.

Respectfully submitted,

  
\_\_\_\_\_  
Craig Metcalf  
Reg. No. 31,398  
Attorney for Applicant

Date: March 17, 2005

MADSON & METCALF  
Gateway Tower West  
15 West South Temple, Suite 900  
Salt Lake City, Utah 84101  
Telephone: 801/537-1700



PTO/SB/08a (08-03)

Approved for use through 06/30/2006. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

**INFORMATION DISCLOSURE  
STATEMENT BY APPLICANT**

(use as many sheets as necessary)

Sheet 1 Of 1

**Complete If Known**

Application Number	10/717,851
Filing Date	November 19, 2003
First Named Inventor	Quin Soderquist
Group Art Unit	3611
Examiner Name	
Attorney Docket Number	14291

**U.S. PATENT DOCUMENTS**

Examiner Initials *	Cite No. <sup>1</sup>	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number - Kind Code <sup>2</sup> (if known)			
	U1	US-5,979,931	11/09/1999	Totani et al.	
	U2	US-5,390,950	02/21/1995	Barnes et al.	
	U3	US-2002/050046	05/02/2002	Nicholas	

**FOREIGN PATENT DOCUMENTS**

Examiner Initials*	Cite No. <sup>1</sup>	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T <sup>6</sup>
		Country Code <sup>3</sup> - Number <sup>4</sup> - Kind Code <sup>5</sup> (if known)				
	F1	JP - 11 240097 A	09/07/1999	Toyoda Gosei Co.		
	F2	JP - 10 329631 A	12/15/1998	Toyota Motor Corp.		
	F3	EP - 0 844 142 A	05/27/1998	Opel Adam EG		
	F4	JP - 09 002180 A	01/07/1997	Toyoda Gosei Co.		
	F5	EP - 0 749 872 A	12/27/1996	Toyoda Gosei KK		
	F6	WO - 95/21756 A	08/17/1995	Davidson Textron Inc.		
	F7	DE - 43 06 149 A	09/01/1994	Opel Adam EG		

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. <sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> See Kinds Codes of USPTO Patent Documents at [www.uspto.gov](http://www.uspto.gov) or MPEP 901.04. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing this form, call 1-800-PTO-9199 and selection option 2.